

ASAP

Date: Monday, 21/07/2008 10:53:24 AM
 User: Julie Lecocq

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services		Drawing Name	: STRUT		
Job Number	: 40680		Part Number	: D2565301		
Estimate Number	: 10964		Drawing Number	: D2565 REV E		
P.O. Number	:		Project Number	: N/A		
This Issue	21/07/2008	S.O. No. :	Drawing Revision	: E		
Prsh Rev.	: NC		Material	:		
First Issue	11	Type : SMALL /MED FAB	Due Date	10/08/2008	Qty:	5 Um: Each
Previous Run	: 26639					
Written By	:					
Checked & Approved By	: JUP 08.7.21					
Comment	: Est: A 02.06.10 New Issue NG					

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :		
1.0	M304TR0750W049	304 RD Tube .750 x .049W		
		Comment: Qty.: 2.3888 f(s)/Unit Total : 11.9438 f(s) Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall (M304TR0750W049)	Batch No: M108848	SB 08/08/2008 S
2.0	BRAKE NC	NC BRAKE		
		Comment: BRAKE NC Punch as per Dwg D2565 using DT 8313		SB 08/08/2008 S
3.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1		
		Comment: SMALL & MEDIUM FAB RESOURCE 1 Drill hole open to .316 Ø as per Dwg D2565 (one end only) Deburr		08/08/26 S 1hr 08/08/26 S 1hr
4.0	QC5	INSPECT WORK TO CURRENT STEP		
		Comment: INSPECT WORK TO CURRENT STEP		SB 08/08/27 S
5.0	POWDER COATING	POWDER COATING		
		Comment: POWDER COATING Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3		SB 08/08/28 S
	START TIME: OVEN TEMPERATURE: FINISH TIME:	11:00 400 11:30		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 21/07/2008 10:53:24 AM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: STRUT

Job Number: 40680

Part Number: D2565301

Job Number:



Seq. #: Machine Or Operation:

Description :

6.0 QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



MJ



08-08-28 X5

Comment: INSPECT POWDER COAT

7.0 PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 253

AS 08/08/08 X5

8.0 QC21

FINAL INSPECTION/W/O RELEASE



(5)

Comment: FINAL INSPECTION/W/O RELEASE

Final 08/08/08

Job Completion



08-08-28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

DART

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. E
		D2565	SHEET 1 OF 1
DATE		TITLE	SCALE
04.05.05		STRUT	1:3
A	96.05.03	NEW ISSUE	
B	97.03.15	CORRECT D2565-111 DIM. A	
C	98.10.05	UPDATED MATERIAL NOTE (TSR A603)	
D	02.06.05	ADD -3XX PARTS; ADD FINISH	
E	04.05.05	ADD D2565-401-411; RMV ANGLE D	

RELEASED

04.05.05



DIA 0.257 TO BE PUNCHED
 "C" DIA TO BE OPENED MANUALLY
 PUNCH ENDS PER SPEC CONTROL DRAWING D2638

PART #	A	B	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	—
D2565-109	12.31	11.51	—
D2565-111	13.65	12.85	—
D2565-201	22.79	22.00	0.316
D2565-203	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	—
D2565-209	15.16	14.36	—
D2565-211	14.14	13.34	—
D2565-301	27.03	26.23	0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307	20.86	20.06	—
D2565-309	20.17	19.37	—
D2565-311	16.30	15.50	—
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	—
D2565-409	9.34	8.54	—
D2565-411	13.81	13.01	—

GENERAL NOTES

- 1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL
 (REF DART SPEC. M304TR0.750W0.049)
 ENSURE SEAMLESS TUBE IS USED
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 WITHOUT NOTICE
- 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT

NO. 40680

Copyright © 1996 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN KE	DRAWN BY KE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED MD	APPROVED J	DRAWING NO. D2638	REV. A SHEET 1 OF 1
DATE 98.04.28		TITLE PUNCH DT8117 SPEC CONTROL	SCALE 1:1
A	98.04.28	NEW ISSUE	

RELEASED
98/05/05 KE

SPECIFICATION CONTROL DRAWING FOR PUNCH DT8117



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 70680